

# TOOLS

TOOL HOLDER  
3001247

FLEX PIN  
4001390

SCORING TOOL  
8" X 16"  
3001520

SCORING TOOL  
8" X 11"  
3001239

TAPERED SCORING TOOL  
8" X 11"  
3001238

HEAVY-DUTY  
8" X 11"  
3001235

TRENCHING TOOL  
8" X 14"  
2000792

BLUNT CUTTER  
12" X 11"  
3001237

TAPERED CUTTER  
12" X 11"  
3001236

TAMPER 6" X 12" X 36"  
2000690

TAMPER 12" X 12" X 36"  
2000468

TAMPER 12" X 12" X 72"  
2000336

CONCRETE BREAKER  
4.5" X 20"  
2000354

FROST CHISEL  
6" X 31"  
2000459

POST HOLE PUNCH  
3" X 32"  
2000791

CONCRETE WEDGE  
4.5" X 20"  
2000355

BREAKER HEAD  
8" X 14.5"  
2000830

POST DRIVING HEAD  
2000906

POST DRIVING HEAD  
4.5" X 13"  
2000904

POST DRIVING INSERT  
6" X 3" 2000907


POST DRIVING INSERT




## Arrow-Master, Incorporated

1201 SEVENTH STREET EAST MOLINE, IL 61244-1465 1-800-325-4151  
www.arrowmaster.com • amsales@arrowmaster.com • 309-752-1345


# TOOL Applications




2000354  
Round Breaker- 4.5" x 20"- 98 lbs. (11cm x 51cm - 45 kg)  
Versatile and economical. Most popular general purpose,  
demolition of roadways and pre-sawn patchwork.



2000355  
Concrete Wedge - 4.5" X 20"- 88 lbs. (11cm x 51cm - 40 kg)  
Effective concrete breaker where asphalt overlay exists.  
Wedge point pierces and erupts asphalt while breaking  
subsurface concrete.



2000830  
Heavy Duty Breaker Head - 8" x 14.5"- 285 lbs.  
(20cm x 37cm - 129 kg)  
For large demolition jobs. Surface area stops tool "sticking"  
for maximum production. Best choice for crack and seat work,  
to minimize spalling.




3001247  
Tool Holder - 85 lbs. (39 kg)  
Standard tool holder to hold blades listed below.  
Two mounting positions at 90° for longitudinal or  
transverse cutting.




4001390  
Flex Pin - .25 lbs. (113 g)  
Quick action pin for retaining the tools in the tool holder (3001247)  
making the changeover of blades an easy operation.

# TOOL Applications




3001235

Heavy Duty Breaker 8" x 11"- 40 lbs. (20cm x 28cm - 18 kg)  
Used on heavy concrete where breaking is by shattering rather than by cutting through. Popular for its long lasting performance.



3001238

Scoring Tool (Tapered) 8" x 11"- 19 lbs. (20cm x 28cm - 9 kg)  
Used for scoring concrete where it is essential to avoid back fracture.




3001239

Scoring Tool (Blunt) 8" x 11"- 20 lbs. (20cm x 28cm - 9 kg)  
Used for breaking and cutting concrete, reinforced concrete, trenches, rock, asphalt, and removing road slabs. The most universal tool with the lowest shock value.



3001520


Scoring Tool (Blunt) 8" x 16"- 30 lbs. (20cm x 41cm - 14 kg)  
Same as the blunt scoring tool (3001239) except 16" length.



3001236

Asphalt Cutter (Tapered) 12" x 11"- 30 lbs.  
(30cm x 28cm - 14kg)

The machine leads can be tilted to make the tapered side of the tool perpendicular to achieve a square cut.



3001237


Asphalt Cutter (Blunt) 12" x 11"- 35 lbs. (30cm x 28cm - 16 kg)  
Used for cutting asphalt. Due to its greater width this tool will give a higher output rate than the blunt scoring tool (3001239) when cutting asphalt.




Arrow-Master, Incorporated

1201 SEVENTH STREET EAST MOLINE, IL 61244-1465 1-800-325-4151  
www.arrowmaster.com • amsales@arrowmaster.com • 309-752-1345


# TOOL Applications



2000468  
Heavy Duty Tamper 12" x 12" x 36"- 240 lbs.  
(30cm x 30cm x 91cm - 109 kg)  
Used for compacting floors, trenching and back  
fill in confined areas.




2000690  
Heavy Duty Tamper 6" x 12" x 36"- 200 lbs.  
(15cm x 30cm x 91cm - 91 kg)



2000336  
Trench Tamper 12" x 12" x 72"- 155 lbs.  
(30cm x 30cm x 183cm - 70 kg)


# TOOL Applications



2000459

Frost Chisel 6" x 31" - 97 lbs. (15cm x 79cm - 44 kg)

Used for breaking and tearing frozen ground to allow excavating.



2000792

Trenching Tool 8" x 14" - 95 lbs.

(20cm x 36cm - 43 kg)

Used for producing a utility line trench in soil, gravel or asphalt surfaces.



2000791

Post Hole Punch 3" x 32" - 105 lbs. (8cm x 81cm - 48 kg)

Can be supplied up to 12" diameter for punching holes for signposts, parking meters, fence posts or deck supports.



**Arrow-Master, Incorporated**

1201 SEVENTH STREET EAST MOLINE, IL 61244 -1465 1-800-325-4151  
www.arrowmaster.com • amsales@arrowmaster.com • 309-752-1345

Page 5 of 5

(0905)